NSN 5910-01-149-6950

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-149-6950

Body Style:					
W/o mtg facilities terminal (s) on one surface					
Reliability Indicator:					
Not established					
Terminal Length:					
1.000 inches					
Body Length:					
0.413 inches					
Body Width:					
0.354 inches					
Body Height:					
0.157 inches					
Center To Center Distance Between Terminals Parallel To Length:					
0.295 inches					
Terminal Diameter:					
0.028 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
End Application:					
5820-01-116-7274 comparator-converter					
Capacitance Value Per Section:					
22000.000 picofarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 125.0 degrees celsius					
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:					
400.0 single section					
Nonderated Continuous Voltage Rating And Type Per Section:					
250.0 dc single section					
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:					
-200.0/+200.0 single section					
Tolerance Range Per Section:					
-5.00/+5.00 percent single section					
Case Material:					
Plastic					
Insulation Resistance At Reference Temp:					
30000.0 megohms					
Dissipation Factor At Reference Tempurature In Percent:					
1.0000					
Terminal Type And Quantity:					
2 uninsulated wire lead					

N/a

Shelf Life:

NSN 5910-01-149-6950

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	• -			
In	ıŧ	()t	Measure	•

--

Demilitarization:

No

Fiig:

A010b0