

View Online at https://aerobasegroup.com/nsn/5910-01-152-8654

Body Style	
Chip type	
Reliability	Indicator:
Not establis	shed
Body Leng	th:
0.055 inche	PS
Body Widt	h:
0.055 inche	ns
Body Heig	ht:
0.055 inche	us
Schematic	Diagram Designator:
No commo	n or grounded electrode (s)
Capacitan	ce Value Per Section:
10.000 picc	farads single section
Nonderate	d Operating Temp:
Between -5	5.0 degrees celsius and 125.0 degrees celsius
Tempuratu	re Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0 single s	ection
Nonderate	d Continuous Voltage Rating And Type Per Section:
50.0 dc sin	gle section
Tolerance	Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-30.0/+30.0	single section
Tolerance	Range Per Section:
-5.00/+5.00	percent single section
Case Mate	rial:
Ceramic	
Insulation	Resistance At Reference Temp:
100000.0	megohms
Test Data	Document:
17903-724	005-xxx drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; exclu	des any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal T	ype And Quantity:
2 bonding p	bad
Shelf Life:	
N/a	
Unit Of Me	asure:
Demilitariz	ation:
No	
Fiig:	
A010b0	