## NSN 5910-01-156-7694

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-156-7694

## **Body Style:**

W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals

#### **Reliability Indicator:**

Not establishednot established

## **Terminal Length:**

2.500 inches 2.500 inches

#### **Body Diameter:**

0.687 inches

#### **Body Length:**

2.750 inches

## **Terminal Diameter:**

0.032 inches

#### Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

## Impedance At Minimum Operating Tempurature In Ohms:

2.0

#### **Electrical Polarization:**

Polarized

## Capacitance Value Per Section:

25.000 microfarads single section

## Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

## Dc Leakage At Maximum Operating Temp:

300.0 microamperes

## Nonderated Continuous Voltage Rating And Type Per Section:

300.0 dc single section

## **Tolerance Range Per Section:**

-10.00/+75.00 percent single section

#### **Case Material:**

Metal

## **Capacitive Electrode Material:**

Aluminum

#### Dc Leakage At Reference Temp:

50.000 microamperes

## **Terminal Surface Treatment:**

Solder

## **Case Insulation Material:**

Plastic

## **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

# NSN 5910-01-156-7694

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0