## NSN 5910-01-158-2364

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-158-2364

#### **Body Style:**

W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one endw/o mtg facilities, terminal(s) on one end

#### **Reliability Indicator:**

Not establishednot establishednot established

#### **Terminal Length:**

1.370 inches 1.370 inches 1.370 inches

#### **Body Diameter:**

0.267 inches

#### **Body Length:**

0.531 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.098 inches

**Terminal Diameter:** 

0.020 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

#### Electrical Polarization:

Polarized

#### End Application:

Communications system an/grc-212

#### Capacitance Value Per Section:

47.000 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+50.00 percent single section

#### Case Material:

Metal

#### **Capacitive Electrode Material:**

Aluminum

## Dc Leakage At Reference Temp:

13.000 microamperes

## **Terminal Surface Treatment:**

Solder

## Case Insulation Material:

Plastic

## Terminal Type And Quantity:

2 uninsulated wire lead

# NSN 5910-01-158-2364

Electrolytic Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0