## NSN 5910-01-158-2365

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-158-2365

view Online at https://defobasegroup.com/nsn/5510-01-150-2505
Body Style:
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one endw/o mtg facilities, terminal(s) on one end
Dummy Terminal Quantity:
111
Reliability Indicator:
Not establishednot established
Terminal Length:
0.404 inches 0.404 inches 0.404 inches
Body Diameter:
0.985 inches
Body Length:
1.570 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Electrical Polarization:
Polarized
End Application:
Communications system an/grc-212
Capacitance Value Per Section:
6800.000 microfarads single section
Nonderated Operating Temp:
Between -25.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
10.0 dc single section
Tolerance Range Per Section:
-10.00/+50.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dc Leakage At Reference Temp:
2000.000 microamperes
Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Terminal Type And Quantity:

N/a

2 printed circuit Shelf Life:

## NSN 5910-01-158-2365

Electrolytic Fixed Capacitor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0