

View Online at <https://aerobasegroup.com/nsn/5910-01-158-5566>

Reliability Indicator:

Not established

Terminal Length:

0.062 inches

Body Diameter:

1.375 inches

Body Length:

2.125 inches

Center To Center Distance Between Terminals Parallel To Length:

0.500 inches

Center To Center Distance Between Terminals Parallel To Diameter:

0.438 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.500 inches

Schematic Diagram Designator:

Electrod (s) grounded to case

Electrical Polarization:

Polarized

Mounting Facility Screw Thread Series Designator:

Unf

Mounting Facility Type And Quantity:

2 threaded mounting studs

Capacitance Value Per Section:

9400.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Thread Size:

0.190 inches

Nonderated Continuous Voltage Rating And Type Per Section:

12.5 dc single section

Tolerance Range Per Section:

-10.00/+75.00 microfarads single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Temperature In Ohms:

0.01

Dc Leakage At Reference Temp:

0.350 milliamperes

Case Insulation Material:

Plastic

Terminal Type And Quantity:

2 threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0