# NSN 5910-01-158-9042

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-158-9042

# **Body Style:**

W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals

# **Reliability Indicator:**

Not establishednot establishednot established

# Terminal Length:

1.500 inches 1.500 inches 1.500 inches

# **Body Diameter:**

Between 0.279 inches and 0.305 inches

#### **Body Length:**

0.686 inches

Terminal Diameter:

Between 0.024 inches and 0.030 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

# Anode Type:

Solid

# **Electrical Polarization:**

Polarized

# **End Application:**

5840-01-141-4378 radar set

# Capacitance Value Per Section:

120.000 microfarads single section

# Nonderated Operating Temp:

Between -80.0 degrees celsius and 85.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

# **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

# **Case Material:**

Metal

# **Capacitive Electrode Material:**

Tantalum

# **Dissipation Factor At Reference Tempurature In Percent:**

8.0000

# Equivalent Series Resistance At Reference Tempurature In Ohms:

0.12

# Dc Leakage At Reference Temp:

12.000 microamperes

# **Terminal Surface Treatment:**

Solder

# **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0