NSN 5910-01-160-0054



Electrolytic Fixed Capacitor - Page 1 of 2				
View Online at https://aerobasegroup.com/nsn/5910-01-160-0054				
Body Style:				
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end				
Reliability Indicator:				
Not establishednot established				
Terminal Length:				
0.984 inches 0.984 inches				
Body Diameter:				
0.709 inches				
Body Length:				
1.575 inches				
Center To Center Distance Between Terminals Parallel To Diameter:				
0.295 inches				
Terminal Diameter:				
0.032 inches				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Anode Type:				
Solid				
Electrical Polarization:				
Polarized				
End Application:				
6250-01-127-6846 generator, test				
Capacitance Value Per Section:				
2200.000 microfarads single section				
Nonderated Operating Temp:				
Between -40.0 degrees celsius and 85.0 degrees celsius				
Nonderated Continuous Voltage Rating And Type Per Section:				
35.0 dc single section				
Tolerance Range Per Section:				
-20.00/+20.00 percent single section				

Case Material:

Capacitive Electrode Material:

Aluminum

Dissipation Factor At Reference Tempurature In Percent:

2.0000

Terminal Surface Treatment:

Solder

Case Insulation Material:

Plastic

Terminal Type And Quantity:

2 uninsulated wire lead

NSN 5910-01-160-0054

Electrolytic Fixed Capacitor - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0