## NSN 5910-01-163-2462

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-163-2462 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 0.532 inches **Body Length:** 0.420 inches **Body Width:** 0.330 inches **Body Height:** 0.160 inches Center To Center Distance Between Terminals Parallel To Length: 0.300 inches **Terminal Diameter:** 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** Tracking station, space objects an/fsq-114 **Capacitance Value Per Section:** 0.015 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section **Tolerance Range Per Section:** -2.00/+2.00 percent single section **Case Material: Plastic Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.3000 **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: **Unit Of Measure:** 

N/a **Demilitarization:** No

## NSN 5910-01-163-2462

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Fiig:

A010b0