

NSN 5910-01-165-1847 Ceramic Dielectric Variable Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-165-1847 **Body Style:** Rotary **Terminal Length:** 0.150 inches **Body Diameter:** 0.390 inches **Body Height:** 0.125 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -1500.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -900.0/+900.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.330 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** 0.330 inches **Quality Factor At 25 Deg Celsius:** 1000.0 **Terminal Width:** 0.064 inches **Terminal Thickness:** 0.006 inches **End Application:** Radio set an/arc-190 **Inclosure Type:** Encased **Adjustment Device Torque:** Between 0.200 inch-ounces and 2.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -20.0 degrees celsius and 85.0 degrees celsius

Capacitance Range In Picofarads:

+20.0/+100.0 single section

Nonderated Voltage Rating And Type:

400.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 square hole

Terminal Type And Quantity:

2 printed circuit

NSN 5910-01-165-1847

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0