## NSN 5910-01-168-2995

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-168-2995

view Online at https://aerobasegroup.com/hsh/5910-01-166-2995
Body Style:
W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals
Reliability Indicator:
Not establishednot established
Terminal Length:
35.0 millimeters 35.0 millimeters 35.0 millimeters
Body Diameter:
18.0 millimeters
Body Length:
40.0 millimeters
Terminal Diameter:
1.0 millimeters
Schematic Diagram Designator:
No common or grounded electrode (s)
Electrical Polarization:
Polarized
End Application:
6625-01-137-6629 electronics components assembly
Capacitance Value Per Section:
330.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
80.0 dc single section
Tolerance Range Per Section:
-20.00/+75.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
10.0000
Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5910-01-168-2995

Electrolytic Fixed Capacitor - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A010b0