NSN 5910-01-170-7657

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-170-7657 **Body Style:** Piston **Overall Length:** 0.776 inches **Terminal Length:** 1.000 inches **Body Length:** 0.625 inches **Overall Diameter:** 0.266 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -150.0/+150.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 0.500 inches **Terminal Diameter:** 0.032 inches **End Application:** 5895-01-057-6262 radio data link, sound ranging **Inclosure Type:** Encapsulated **Adjustment Device Torque:** Between 1.000 inch-ounces and 8.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 1000000.0 megohms **Insulation Dc Resistance At Max Operating Temp:** 100000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +1.0/+28.0 single section **Nonderated Voltage Rating And Type:** 1000.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 wire lead Shelf Life: N/a

Unit Of Measure:

NSN 5910-01-170-7657

Glass Dielectric Variable Capacitor - Page 2 of 2



em			

No

Fiig:

A096a0