NSN 5910-01-173-9910

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-173-9910

view Offilite at https://defobasegroup.com/nsn/5510-01-175-5510					
Body Style:					
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end					
Reliability Indicator:					
Not establishednot established					
Terminal Length:					
0.250 inches 0.250 inches					
Body Diameter:					
1.375 inches					
Body Length:					
2.125 inches					
Center To Center Distance Between Terminals Parallel To Diameter:					
0.500 inches					
Terminal Diameter:					
0.190 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Anode Type:					
Plain foil					
Electrical Polarization:					
Polarized					
Capacitance Value Per Section:					
950.000 microfarads single section					
Nonderated Operating Temp:					
Between -40.0 degrees celsius and 85.0 degrees celsius					
Nonderated Continuous Voltage Rating And Type Per Section:					
75.0 dc single section					
Tolerance Range Per Section:					
-10.00/+75.00 percent single section					
Case Material:					
Metal					
Capacitive Electrode Material:					
Aluminum					
Equivalent Series Resistance At Reference Tempurature In Ohms:					
0.25					
Dc Leakage At Reference Temp:					
6000.000 microamperes					
Case Insulation Material:					
Plastic					
Terminal Type And Quantity:					
2 threaded hole					
Shelf Life:					

N/a

NSN 5910-01-173-9910

Electrolytic Fixed Capacitor - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A010b0