

View Online at <https://aerobasegroup.com/nsn/5910-01-174-6714>

Body Style:

W/o mtg facilities, terminal (s) on one surface

Reliability Indicator:

Not established

Terminal Length:

0.280 inches

Body Length:

1.400 inches

Body Width:

Between 0.990 inches and 1.010 inches

Body Height:

2.000 inches

Terminal Diameter:

Between 0.039 inches and 0.042 inches

Schematic Diagram Designator:

One terminal common to each section, w/t wo common dummy terminals

Anode Type:

Plain foil

Electrical Polarization:

Polarized

Mounting Facility Screw Thread Series Designator:

Unc

Mounting Facility Type And Quantity:

7 threaded mounting holes

Section Quantity:

8

Capacitance Value Per Section:

8.500 microfarads all sections

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Thread Size:

0.112 inches

Dc Leakage At Maximum Operating Temp:

1.6 microamperes

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc all sections

Tolerance Range Per Section:

-10.00/+30.00 percent all sections

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Dissipation Factor At Reference Temperature In Percent:

11.000

Dc Leakage At Reference Temp:

1.400 microamperes

Terminal Surface Treatment:

Solder

Case Insulation Material:

Plastic

Terminal Type And Quantity:

16 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A010b0