Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-175-2788

## Body Style:

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

Terminal Length:

1.000 inches

Body Length:

0.470 inches

#### **Body Width:**

0.350 inches

**Body Height:** 

0.200 inches

#### Center To Center Distance Between Terminals Parallel To Length:

0.353 inches

**Terminal Diameter:** 

0.032 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Internal Electrical Connection Type:

Extended foil

### Capacitance Value Per Section:

4700.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

# Insulation Resistance At Reference Temp:

50000.0 megohm-microfarads

# Dissipation Factor At Reference Tempurature In Percent:

0.4500

# **Terminal Surface Treatment:**

Solder

### **Dielectric Material:**

Plastic polyester

## **Terminal Type And Quantity:**

2 uninsulated wire lead

### Shelf Life:

N/a

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0