NSN 5910-01-180-1312

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-180-1312 **Body Style:** W/o mtg facilities, axial terminals **Reliability Indicator:** Not established **Terminal Length:** 1.625 inches **Body Diameter:** 0.312 inches **Body Length:** 0.625 inches **Terminal Diameter:** 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Features Provided:** Hermetically sealed case **Insulation Resistance At Maximum Operating Temp:** 250000.0 megohms **Capacitance Value Per Section:** 0.033 microfarads single section **Nonderated Operating Temp:** Between -62.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Criticality Code Justification:** Feat **Tolerance Range Per Section:** -5.00/+5.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 5000000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.0300 **Terminal Surface Treatment:** Solder **Dielectric Material:** Plastic polytetrafluoroethylene

Special Features:

Burn-in test

NSN 5910-01-180-1312

Plastic Dielectric Fixed Capacitor - Page 2 of 2



2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0