## NSN 5910-01-181-6575

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-181-6575 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** Between 0.120 inches and 0.176 inches **Body Length:** 0.095 inches **Body Width:** 0.260 inches **Body Height:** 0.135 inches **Center To Center Distance Between Terminals Parallel To Length:** Between 0.690 inches and 0.710 inches **Center To Center Distance Between Terminals Parallel To Width:** 0.100 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Section Quantity: Capacitance Value Per Section:** 470.000 picofarads all sections **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 0.0 all sections Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc all sections **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 all sections **Tolerance Range Per Section:** -5.00/+5.00 percent all sections **Case Material:** Plastic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 2.5000 **Terminal Surface Treatment:** Solder

**Terminal Type And Quantity:** 

16 printed circuit

## NSN 5910-01-181-6575

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



,	elf L	ite:	
,	elf L	ite:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0