

NSN 5910-01-184-6839 Ceramic Dielectric Variable Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-184-6839 **Body Style:** Rotary **Terminal Length:** 0.110 inches **Body Diameter:** 0.350 inches **Body Height:** 0.315 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -1400.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -800.0/+800.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.295 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** 0.295 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Terminal Width:** 0.040 inches **Terminal Thickness:** 0.015 inches **Inclosure Type: Encased Terminal Location:** Circumference perpendicular **Adjustment Device Torque:** 

Between 0.300 inch-ounces and 3.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

10000.0 megohms

**Mounting Facility Type And Quantity:** 

**Nonderated Operating Temp:** 

Between -20.0 degrees celsius and 85.0 degrees celsius

Capacitance Range In Picofarads:

+4.0/+40.0 single section

**Nonderated Voltage Rating And Type:** 

250.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:** 

1 slotted screw

**Terminal Type And Quantity:** 

3 printed circuit

## NSN 5910-01-184-6839

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Sh	elf	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A096a0