NSN 5910-01-186-5603

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-186-5603 **Body Style:** Rotary **Terminal Length:** 0.118 inches **Body Diameter:** 0.230 inches **Body Height:** 0.217 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -1400.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -700.0/+700.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.200 inches **Terminal Diameter:** 0.040 inches **Quality Factor At 25 Deg Celsius:** 200.0 **Inclosure Type: Encased Adjustment Device Torque:** Between 0.400 inch-ounces and 2.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +5.0/+25.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

NSN 5910-01-186-5603

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0