

View Online at https://aerobasegroup.com/nsn/5910-01-186-5604

Bod	ly Style:
Rota	ary
Terr	minal Length:
0.10	)2 inches
Ove	erall Height:
0.33	30 inches
Ove	erall Diameter:
0.37	75 inches
Tem	npurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:
+6.0	0/+16.0 single section or -11.0/-6.0 single section
Cen	ter To Center Distance Between Terminals Parallel To Diameter:
0.29	99 inches
Qua	lity Factor At 25 Deg Celsius:
500.	.0
Terr	minal Width:
0.03	39 inches
Incl	osure Type:
Enca	ased
Adju	ustment Device Torque:
Betv	ween 1.000 inch-ounces and 6.370 inch-ounces
Insu	ulation Dc Resistance At 25 Deg Celsius:
100.	.0 megohms
Mou	unting Facility Type And Quantity:
2 ter	rminal
Non	iderated Operating Temp:
Betv	ween -40.0 degrees celsius and 85.0 degrees celsius
Сар	acitance Range In Picofarads:
+10.	.0/+60.0 single section
Non	derated Voltage Rating And Type:
175.	.0 ac rms single section or 250.0 dc continuous single section
Adju	ustment Device Drive Type And Quantity:
1 slo	otted screw
Terr	minal Type And Quantity:
2 pri	inted circuit
She	If Life:
N/a	
Unit	t Of Measure:
Den	nilitarization:
No	
Fiig	:
A09	6a0