

View Online at https://aerobasegroup.com/nsn/5910-01-186-6309

#### **Body Style:**

W/o mtg facilities, radial terminals

#### **Reliability Indicator:**

Not established

## **Terminal Length:**

0.187 inches

## **Body Diameter:**

0.891 inches

#### **Body Length:**

1.813 inches

#### Center To Center Distance Between Terminals Parallel To Length:

1.094 inches

#### **Terminal Diameter:**

0.032 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## Insulation Resistance At Maximum Operating Temp:

150.0 megohm-microfarads

### Capacitance Value Per Section:

0.330 microfarads single section

## Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

600.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

5000.0 megohm-microfarads

### **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

# NSN 5910-01-186-6309

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

