# NSN 5910-01-190-7564

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-190-7564

## **Body Style:**

W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one endw/o mtg facilities, terminal(s) on one end

## **Reliability Indicator:**

Not establishednot establishednot established

## **Terminal Length:**

0.094 inches 0.094 inches 0.094 inches

## **Body Diameter:**

1.453 inches

#### **Body Length:**

4.250 inches

## Center To Center Distance Between Terminals Parallel To Diameter:

0.500 inches

**Terminal Diameter:** 

0.190 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Plain foil

Electrical Polarization:

Polarized

## **End Application:**

4920-01-111-2981 automatic test

## **Features Provided:**

Hermetically sealed case

## Capacitance Value Per Section:

0.012 microfarads single section

## Nonderated Operating Temp:

Between -20.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

30.0 dc single section

## **Tolerance Range Per Section:**

-10.00/+75.00 percent single section

## **Case Material:**

Metal

**Capacitive Electrode Material:** 

Aluminum

Equivalent Series Resistance At Reference Tempurature In Ohms:

0.08

Dc Leakage At Reference Temp:

4000.000 microamperes

## Case Insulation Material:

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



## Terminal Type And Quantity:

2 threaded hole

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0