

View Online at <https://aerobasegroup.com/nsn/5910-01-193-8214>

**Body Style:**

Rotary

**Terminal Length:**

0.085 inches

**Body Diameter:**

0.180 inches

**Body Height:**

0.085 inches

**Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:**

-1500.0 single section

**Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:**

-900.0/+900.0 single section

**Center To Center Distance Between Terminals Parallel To Diameter:**

0.140 inches

**Quality Factor At 25 Deg Celsius:**

100.0

**Terminal Width:**

0.020 inches

**Terminal Thickness:**

0.004 inches

**End Application:**

Simulator, countermeasures signals an/ulq-13

**Inclosure Type:**

Encased

**Adjustment Device Torque:**

Between 0.050 inch-ounces and 1.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

10000.0 megohms

**Mounting Facility Type And Quantity:**

2 terminal

**Nonderated Operating Temp:**

Between -20.0 degrees celsius and 85.0 degrees celsius

**Capacitance Range In Picofarads:**

+6.5/+30.0 single section

**Nonderated Voltage Rating And Type:**

250.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

1 square hole

**Terminal Type And Quantity:**

2 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A096a0