## NSN 5910-01-193-8431

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-193-8431 **Body Style:** Compression **Terminal Length:** 0.125 inches **Body Length:** 0.125 inches **Body Width:** 0.125 inches **Body Height:** 0.040 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -100.0/+100.0 single section **Quality Factor At 25 Deg Celsius:** 1000.0 **Terminal Width:** 0.020 inches **Terminal Thickness:** 0.005 inches **End Application:** Simulator, countermeasures signals an/ulq-13 **Inclosure Type:** Uninclosed **Adjustment Device Torque:** Between 0.050 inch-ounces and 0.500 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -20.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +2.5/+10.0 single section **Nonderated Voltage Rating And Type:** 500.0 dc dielectric withstanding single section **Adjustment Device Drive Type And Quantity:** 1 square hole **Terminal Type And Quantity:** 2 printed circuit

Shelf Life:

N/a

## NSN 5910-01-193-8431

Ceramic Dielectric Variable Capacitor - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A096a0