NSN 5910-01-194-1621

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-194-1621 **Body Style:** Piston **Overall Length:** 0.895 inches **Terminal Length:** 0.895 inches **Body Length:** 0.770 inches **Overall Diameter:** 0.312 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -150.0/+150.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.240 inches **Terminal Diameter:** 0.032 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** 0.280 inches **Inclosure Type:** Encapsulated **Terminal Location:** Adjustment control end bent forward **Adjustment Device Torque:** Between 1.000 inch-ounces and 8.000 inch-ounces **Mounting Facility Type And Quantity:** 2 terminal and 1 tab **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +1.0/+36.0 single section **Nonderated Voltage Rating And Type:** 1000.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 wire lead Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

NSN 5910-01-194-1621

Glass Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0