## NSN 5910-01-194-7332

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-194-7332

**Body Style:** 

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Unable To Decode:** 

Unable to decode and unable to decode

**Terminal Length:** 

1.250 inches

**Unable To Decode:** 

Unable to decode and unable to decode

**Unable To Decode:** 

Unable to decode and unable to decode

**Body Length:** 

Between 0.775 inches and 0.805 inches

**Body Width:** 

Between 1.275 inches and 1.305 inches

**Body Height:** 

Between 0.260 inches and 0.290 inches

**Center To Center Distance Between Terminals Parallel To Length:** 

Between 0.480 inches and 0.520 inches

**Terminal Diameter:** 

Between 0.037 inches and 0.043 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Capacitance Value Per Section:** 

4.000 microfarads single section

**Voltage Tempurature Limits Per Section In Percent Capacitance Change:** 

-15.0/+15.0 without voltage applied single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 100.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

**Tolerance Range Per Section:** 

-0.00/+100.00 percent single section

**Case Material:** 

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohms

**Dissipation Factor At Reference Tempurature In Percent:** 

5.000

**Terminal Surface Treatment:** 

Solder

## NSN 5910-01-194-7332

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Terminal Type	And	Quantity:
---------------	-----	-----------

2 uninsulated wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0