

View Online at https://aerobasegroup.com/nsn/5910-01-197-2553

## **Body Style:**

W/thd bushing mtg, terminals on opposite ends

**Reliability Indicator:** 

Not established

**Terminal Length:** 

0.218 inches

#### **Body Diameter:**

0.690 inches

**Body Length:** 

0.454 inches

## Schematic Diagram Designator:

Feedthrough

#### Mounting Facility Screw Thread Series Designator:

Unf

#### Mounting Facility Type And Quantity:

1 threaded bushing

# Features Provided:

Hermetically sealed case

#### **Capacitance Value Per Section:**

0.330 microfarads single section

# Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

#### **Thread Size:**

0.312 inches

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-0.00/+100.00 percent single section

#### Case Material:

Metal

# Insulation Resistance At Reference Temp:

800.0 megohms

# Dissipation Factor At Reference Tempurature In Percent:

3.0000

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 tab, solder lug

#### Shelf Life:

N/a



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0