## NSN 5910-01-197-4658

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-197-4658 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** Between 0.120 inches and 0.176 inches **Body Length:** Between 0.086 inches and 0.098 inches **Body Width:** Between 0.240 inches and 0.280 inches **Body Height:** 0.135 inches **Center To Center Distance Between Terminals Parallel To Width:** Between 0.300 inches and 0.400 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Capacitance Value Per Section:** 220.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 single section **Tolerance Range Per Section:** -5.00/+5.00 percent single section **Case Material:** Ceramic or plastic **Insulation Resistance At Reference Temp:** 1000.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 0.100 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5910-01-197-4658

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0