## NSN 5910-01-198-2524

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-198-2524

Body Style:
W/o mtg facilities, terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
0.530 inches
Body Length:
2.060 inches
Body Width:
1.060 inches
Body Height:
3.120 inches
Center To Center Distance Between Terminals Parallel To Length:
0.630 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Features Provided:
Hermetically sealed case
Insulation Resistance At Maximum Operating Temp:
200.0 megohms
Capacitance Value Per Section:
30.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
125.0 ac-rms single section
Criticality Code Justification:
Feat
Tolerance Range Per Section:
-10.00/+10.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
833.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
0.1800
Terminal Surface Treatment:
Solder
Special Features:
Burn-in test
Terminal Type And Quantity:

1 tab, solder lug and 1 threaded stud

## NSN 5910-01-198-2524

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A010b0