

View Online at https://aerobasegroup.com/nsn/5910-01-203-8385

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

## **Reliability Indicator:**

Established

**Reliability Failure Rate Level In Percent:** 

0.1000

#### **Terminal Length:**

1.250 inches

#### **Body Length:**

0.190 inches

#### **Body Width:**

0.190 inches

#### Body Height:

0.090 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

5.600 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

## **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

## **Case Material:**

Ceramic

## **Test Data Document:**

81349-mil-c-20 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A010b0