

View Online at https://aerobasegroup.com/nsn/5910-01-206-0487

## Body Style:

W/o mtg facilities terminal (s) on one surface

### **Reliability Indicator:**

Established

**Reliability Failure Rate Level In Percent:** 

0.1000

#### **Terminal Length:**

1.250 inches

**Body Length:** 

0.190 inches

**Body Width:** 

0.190 inches

#### Body Height:

0.090 inches

### Center To Center Distance Between Terminals Parallel To Length:

0.200 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

### **Capacitance Value Per Section:**

0.471 nanofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

#### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

#### **Case Material:**

Plastic

#### **Test Data Document:**

81349-mil-c-20 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A010b0