NSN 5910-01-207-6705

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-207-6705 **Body Style:** Compression **Terminal Length:** Between 0.185 inches and 0.210 inches **Body Length:** Between 0.125 inches and 0.155 inches **Body Width:** 0.125 inches **Body Height:** 0.045 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -100.0 to 100.0 single section **Quality Factor At 25 Deg Celsius:** 1000.0 **Err Default:** 0.020 inches **Terminal Thickness:** Between 0.003 inches and 0.005 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 0.050 inch-ounces and 0.500 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 100000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.5 to 1.3 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 square hole Material: Metal base **Terminal Type And Quantity:** 2 pin

Shelf Life: N/a

NSN 5910-01-207-6705

Ceramic Dielectric Variable Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A096a0