NSN 5910-01-210-6342

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-210-6342 **Body Style:** W/o mtg facilities, axial terminals **Reliability Indicator:** Not established **Terminal Length:** 1.180 inches **Body Diameter:** 0.150 inches **Body Length:** 0.429 inches **Terminal Diameter:** 0.024 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Capacitance Value Per Section:** 120.000 picofarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: -125.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 630.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -60.0 to 60.0 single section **Tolerance Range Per Section:** -2.00 to 2.00 percent single section Case Material: Metal **Insulation Resistance At Reference Temp:** 1000000.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 0.2000 **Terminal Surface Treatment:** Solder **Dielectric Material:** Plastic polystyrene **Case Insulation Material:**

Plastic

Terminal Type And Quantity:

2 uninsulated wire lead

NSN 5910-01-210-6342

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:			
N/a			
Unit Of Measure:			

Demilitarization:

No

Fiig:

A010b0