NSN 5910-01-212-5459

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-212-5459

Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
1.250 inches
Body Length:
0.200 inches
Body Width:
0.250 inches
Body Height:
0.125 inches
Center To Center Distance Between Terminals Parallel To Length:
0.200 inches
Terminal Diameter:
0.016 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
End Application:
6625-01-079-1762 multimeter
Capacitance Value Per Section:
0.220 microfarads single section
Voltage Tempurature Limits Per Section In Percent Capacitance Change:
-56.0 to 22.0 without voltage applied single section
Nonderated Operating Temp:
Between 10.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Range Per Section:
-20.00 to 20.00 percent single section
Case Material:
Plastic
Plastic Insulation Resistance At Reference Temp:
Insulation Resistance At Reference Temp:
Insulation Resistance At Reference Temp: 1000000.0 megohms
Insulation Resistance At Reference Temp: 1000000.0 megohms Terminal Surface Treatment:
Insulation Resistance At Reference Temp: 1000000.0 megohms Terminal Surface Treatment: Solder
Insulation Resistance At Reference Temp: 1000000.0 megohms Terminal Surface Treatment: Solder Terminal Type And Quantity:
Insulation Resistance At Reference Temp: 1000000.0 megohms Terminal Surface Treatment: Solder Terminal Type And Quantity: 2 uninsulated wire lead

-

NSN 5910-01-212-5459

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0