

View Online at <https://aerobasegroup.com/nsn/5910-01-213-0715>

Body Style:

W/thd bushing mtg, terminals on opposite end

Reliability Indicator:

Not established

Width Across Flats:

0.156 inches

Body Length:

0.340 inches

Terminal Diameter:

0.020 inches

Terminal Height From Body:

0.120 inches

Schematic Diagram Designator:

Electrod (s) grounded to case

Mounting Facility Screw Thread Series Designator:

Unc

Mounting Facility Type And Quantity:

1 threaded bushing

Insulation Resistance At Maximum Operating Temp:

7000.0 megohms

Capacitance Value Per Section:

22.000 nanofarads single section

Voltage Temperature Limits Per Section In Percent Capacitance Change:

-66.0 to 22.0 with rated voltage applied single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Thread Size:

0.112 inches

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

Tolerance Range Per Section:

-20.00 to 80.00 percent single section

Thread Tolerance Class:

2a external

Case Material:

Metal

Insulation Resistance At Reference Temp:

70000.0 megohms

Dissipation Factor At Reference Temperature In Percent:

3.0000

Terminal Type And Quantity:

1 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0