

View Online at <https://aerobasegroup.com/nsn/5910-01-213-0761>

Body Style:

Rotary

Terminal Length:

0.177 inches

Overall Height:

0.091 inches

Shaft Diameter:

0.080 inches single shaft

Shaft Length:

0.020 inches single shaft

Overall Diameter:

0.126 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

0.0 single section

Center To Center Distance Between Terminals Parallel To Diameter:

0.134 inches

Quality Factor At 25 Deg Celsius:

1000.0

End Application:

5820-01-180-8943 an/prc-68a

Inclosure Type:

Encapsulated

Adjustment Device Torque:

Between 0.200 inch-ounces and 1.500 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

1000.0 megohms

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Shaft Type:

Round, slotted single shaft

Capacitance Range In Picofarads:

+2.0 to 10.0 single section

Nonderated Voltage Rating And Type:

25.0 dc continuous single section

Capacitance Change In Percent At Operating Temperature From 25 Deg Celsius:

-4.50 to 2.50 and -2.50 to 2.00 single section

Adjustment Device Drive Type And Quantity:

1 shaft

Capacitance Drift In Picofarads:

0.50 single section

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0