## NSN 5910-01-213-3422

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-213-3422 **Body Style:** Rotary **Terminal Length:** 0.132 inches **Overall Height:** 0.310 inches **Overall Diameter:** 0.370 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Fragility Factor:** Moderately rugged **Err Default:** 0.050 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 1.000 inch-ounces and 6.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius **Capacitance Range In Picofarads:** +2.0/+8.0 single section **Nonderated Voltage Rating And Type:** 350.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Capacitance Drift In Picofarads:** 0.50 single section Material: Ceramic inclosure **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

## NSN 5910-01-213-3422

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0