## NSN 5910-01-214-9506

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-214-9506 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 12.0 millimeters **Body Length:** 6.5 millimeters **Body Width:** 10.5 millimeters **Body Height:** 3.0 millimeters Center To Center Distance Between Terminals Parallel To Length: 0.1 millimeters **Terminal Diameter:** Between 0.4 millimeters and 0.6 millimeters **Schematic Diagram Designator:** No common or grounded electrode (s) **Capacitance Value Per Section:** 120.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: -150.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 63.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -40.0 to 40.0 single section **Tolerance Range Per Section:** -2.00 to 2.00 percent single section Case Material: Plastic **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5910-01-214-9506

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0