NSN 5910-01-215-2109

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-215-2109

View Online at https://aerobasegroup.com/nsn/5910-01-215-2109
Body Style:
W/o mtg facilities, terminals on opposite surfaces
Reliability Indicator:
Not established
Terminal Length:
2.000 inches
Body Length:
0.560 inches
Body Width:
0.110 inches
Body Height:
0.200 inches
Terminal Diameter:
0.016 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Internal Electrical Connection Type:
Extended foil
Insulation Resistance At Maximum Operating Temp:
4000.0 megohm-microfarads
Capacitance Value Per Section:
6800.000 picofarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
200.0 dc single section
Tolerance Range Per Section:
-2.00 to 2.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
40000.0 megohm-microfarads
Dissipation Factor At Reference Tempurature In Percent:
0.5000
Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic polyester
Terminal Type And Quantity:
2 uninsulated wire lead

Shelf Life: N/a

NSN 5910-01-215-2109

Plastic Dielectric Fixed Capacitor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0