NSN 5910-01-216-5007

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-216-5007
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Unable To Decode:
Unable to decode and unable to decode
Terminal Length:
0.520 inches
Unable To Decode:
Unable to decode and unable to decode
Unable To Decode:
Unable to decode and unable to decode
Body Diameter:
Between 1.940 inches and 2.060 inches
Body Length:
Between 3.440 inches and 3.560 inches
Center To Center Distance Between Terminals Parallel To Diameter:
Between 0.780 inches and 0.840 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
35.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 70.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
370.0 ac-rms single section
Tolerance Range Per Section:
-10.00 to 10.00 percent single section
Case Material:
Metal
Dissipation Factor At Reference Tempurature In Percent:
0.100
Dielectric Material:
Paper
Terminal Type And Quantity:
2 quick disconnect, male, four blade
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5910-01-216-5007

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Fiig:

A010b0