NSN 5910-01-216-7577

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-216-7577

Body Style:

W/o mtg facilities, terminal (s) on one surface

Reliability Indicator:

Not established

Unable To Decode:

Unable to decode and unable to decode

Terminal Length:

0.500 inches

Unable To Decode:

Unable to decode and unable to decode

Unable To Decode:

Unable to decode and unable to decode

Body Length:

Between 3.626 inches and 3.686 inches

Body Width:

Between 1.626 inches and 1.686 inches

Body Height:

Between 3.690 inches and 3.810 inches

Center To Center Distance Between Terminals Parallel To Length:

0.813 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Capacitance Value Per Section:

30.000 microfarads single section

Nonderated Operating Temp:

Between -40.0 degrees celsius and 70.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

440.0 ac-rms single section

Tolerance Range Per Section:

-10.00 to 10.00 percent single section

Case Material:

Metal

Dissipation Factor At Reference Tempurature In Percent:

0.100

Terminal Surface Treatment:

Solder

Dielectric Material:

Plastic polypropylene

Case Insulation Material:

Plastic

Terminal Type And Quantity:

2 quick disconnect, male, double blade

NSN 5910-01-216-7577

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0