

View Online at https://aerobasegroup.com/nsn/5910-01-217-5191

Body Style:

Chip type

**Reliability Indicator:** 

Not established

Terminal Length:

0.010 inches

Body Length:

0.175 inches

**Body Width:** 

0.125 inches

**Body Height:** 

0.060 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Insulation Resistance At Maximum Operating Temp:

1000.0 megohms

#### **Capacitance Value Per Section:**

5700.000 picofarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

150.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0 to 30.0 single section

### **Tolerance Range Per Section:**

-0.50 to 0.50 picofarads single section

Case Material:

Ceramic

Insulation Resistance At Reference Temp:

100000.0 megohms

## Dissipation Factor At Reference Tempurature In Percent:

0.1500

## **Terminal Surface Treatment:**

Palladium and silver

## **Precious Material And Location:**

Terminal surfaces palladium and terminal surfaces silver

# Terminal Type And Quantity:

2 bonding pad

### Shelf Life:

N/a



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0