

View Online at https://aerobasegroup.com/nsn/5910-01-217-8532

### **Body Style:**

W/o mtg facilities, radial terminals

- **Reliability Indicator:**
- Not established
- **Terminal Length:**
- 1.250 inches

#### **Body Diameter:**

- 0.290 inches
- **Body Length:**

0.156 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.250 inches

**Terminal Diameter:** 

0.032 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **End Application:**

1427-01-068-3184 guidance and co

#### Insulation Resistance At Maximum Operating Temp:

1000.0 megohms

### Capacitance Value Per Section:

15.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

#### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-750.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-100.0 to 100.0 single section

# **Tolerance Range Per Section:**

-5.00 to 5.00 percent single section

### Case Material:

Plastic

# Insulation Resistance At Reference Temp:

7500.0 megohms

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 uninsulated wire lead

### Shelf Life:

N/a



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0