NSN 5910-01-219-3462



Mica Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-219-3462 **Body Style:** W/mtg flanges, terminals on opposite ends **Reliability Indicator:** Not established **Terminal Length:** 6.500 inches **Body Diameter:** 5.750 inches **Body Length:** 3.500 inches **Unthreaded Mounting Hole Diameter:** 0.375 inches Center To Center Distance Between Mounting Facilities Parallel To Diameter: 5.570 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Mounting Facility Type And Quantity:** 2 unthreaded mounting holes **Capacitance Value Per Section:** 2700.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 20000.0 dc single section Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius: -20.0 to 100.0 single section **Tolerance Range Per Section:** -2.00 to 2.00 percent single section **Case Material: Plastic Insulation Resistance At Reference Temp:** 7500.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.0500 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 flange Shelf Life: N/a

Unit Of Measure:

NSN 5910-01-219-3462

Mica Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0