## NSN 5910-01-219-9614

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-219-9614							
Body Style:							
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end							
Reliability Indicator:							
Not establishednot established							
Terminal Length:							
0.187 inches 0.187 inches							
Body Diameter:							
0.260 inches							
Body Length:							
0.500 inches							
Center To Center Distance Between Terminals Parallel To Diameter:							
0.200 inches							
Terminal Diameter:							
0.020 inches							
Schematic Diagram Designator:							
No common or grounded electrode (s)							
Anode Type:							
Solid							
Electrical Polarization:							

Polarized

**Capacitance Value Per Section:** 

3.300 microfarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

35.0 dc single section

**Tolerance Range Per Section:** 

-10.00/+10.00 percent single section

**Case Material:** 

Plastic

**Capacitive Electrode Material:** 

Tantalum

**Dissipation Factor At Reference Tempurature In Percent:** 

6.0000

Dc Leakage At Reference Temp:

2.000 microamperes

**Terminal Surface Treatment:** 

Solder

**Terminal Type And Quantity:** 

2 uninsulated wire lead

Shelf Life:

N/a

## NSN 5910-01-219-9614

Electrolytic Fixed Capacitor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A010b0