NSN 5910-01-220-8690

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-220-8690					
Body Style:					
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end					
Reliability Indicator:					
Not establishednot established					
Terminal Length:					
0.180 inches 0.180 inches					
Body Diameter:					
0.255 inches					
Body Length:					
0.531 inches					
Center To Center Distance Between Terminals Parallel To Diameter:					
0.200 inches					
Terminal Diameter:					
0.020 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Anode Type:					
Solid					
Electrical Polarization:					
Polarized					
End Application:					
6625-01-126-2473 test set, digital					
Capacitance Value Per Section:					
68.000 microfarads single section					
Nonderated Operating Temp:					
85.0 degrees celsius					
Nonderated Continuous Voltage Rating And Type Per Section:					
6.0 dc single section					
Tolerance Range Per Section:					
-10.00/+10.00 percent single section					
Case Material:					
Plastic					

Capacitive Electrode Material:

Tantalum

Dissipation Factor At Reference Tempurature In Percent:

8.0000

Dc Leakage At Reference Temp:

2.000 microamperes

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 uninsulated wire lead

NSN 5910-01-220-8690

Electrolytic Fixed Capacitor - Page 2 of 2



_			-		
C	hο	14		.ife	•
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0