NSN 5910-01-221-1707

Electrolytic Fixed Capacitor - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5910-01-221-1707
Body Style:
W/twist tab mtg, terminal (s) on one endw/twist tab mtg, terminal(s) on one endw/twist tab mtg, terminal(s) on one end
Reliability Indicator:
Not establishednot established
Terminal Length:
0.392 inches 0.392 inches 0.392 inches
Body Diameter:
1.000 inches
Body Length:
1.500 inches
Schematic Diagram Designator:
Electrod (s) grounded to case
Impedance At Minimum Operating Tempurature In Ohms:
0.015
Electrical Polarization:
Polarized
Capacitance Value Per Section:
50.000 microfarads single section
Nonderated Operating Temp:
Between -30.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
150.0 dc single section
Tolerance Range Per Section:
-10.00/+75.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
4.96
Dc Leakage At Reference Temp:
0.520 microamperes
Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a

Unit Of Measure:

NSN 5910-01-221-1707

Electrolytic Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0