## NSN 5910-01-222-0740

Mica Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-222-0740 **Body Style:** W/o mtg facilities, terminals on opposite surfaces Reliability Indicator: Not established **Terminal Length:** 2.000 inches **Body Length:** 1.250 inches **Body Width:** 0.344 inches **Body Height:** 0.844 inches **Terminal Diameter:** Between 0.030 inches and 0.050 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Capacitance Value Per Section:** 0.0015 microfarads single section **Nonderated Operating Temp:** Between -18.0 degrees celsius and 63.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 550.0 dc single section Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius: +0.0 to 70.0 single section **Tolerance Range Per Section:** -5.00 to 5.00 percent single section **Case Material:** Plastic Insulation Resistance At Reference Temp: 10.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 1.000 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5910-01-222-0740

Mica Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0