

View Online at <https://aerobasegroup.com/nsn/5910-01-222-5100>

Thread Class:

2a

Body Style:

Piston

Overall Length:

0.786 inches

Bushing Diameter:

0.224 inches

Bushing Length:

0.177 inches

Body Length:

0.570 inches

Overall Diameter:

0.224 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

-100.0 single section

Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:

-100.0 to 100.0 single section

Terminal Diameter:

0.224 inches

Quality Factor At 25 Deg Celsius:

500.0

Dissipation Factor At 25 Deg Celsius In Percent:

120.0

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Encased

Adjustment Device Torque:

Between 0.700 inch-ounces and 5.700 inch-ounces

Bushing Shape:

Round

Insulation Dc Resistance At 25 Deg Celsius:

10000.0 megohms

Mounting Facility Type And Quantity:

1 threaded bushing

Nonderated Operating Temp:

Between -25.0 degrees celsius and 85.0 degrees celsius

Thread Size:

0.224 inches

Capacitance Range In Picofarads:

+1.2 to 10.0 single section

Nonderated Voltage Rating And Type:

250.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Terminal Type And Quantity:

1 ferrule

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0