NSN 5910-01-225-1936

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-225-1936					
Body Style:					
W/o mtg facilities terminal (s) on one surface					
Reliability Indicator:					
Not established					
Terminal Length:					
1.250 inches					
Body Length:					
0.150 inches					
Body Width:					
0.150 inches					
Body Height:					
0.070 inches					
Center To Center Distance Between Terminals Parallel To Length:					
0.100 inches					
Terminal Diameter:					
0.016 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Insulation Resistance At Maximum Operating Temp:					
10000.0 megohms					
Capacitance Value Per Section:					
24.000 picofarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 125.0 degrees celsius					
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:					
0.0 single section					
Nonderated Continuous Voltage Rating And Type Per Section:					
100.0 dc single section					
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:					
-30.0 to 30.0 single section					
Tolerance Range Per Section:					
-5.00 to 5.00 percent single section					
Case Material:					
Plastic					
Insulation Resistance At Reference Temp:					
100000.0 megohms					
Quality Factor At Reference Temp:					
1000.0000					
Terminal Surface Treatment:					
Coldor					

Terminal Type And Quantity: 2 uninsulated wire lead

NSN 5910-01-225-1936

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0